MATERIAL SAFETY DATA SHEET 00007463 Page 1

ACUITY HOLDINGS INC. dba AMREP MONTREAL, QC; H3B 0A2 CANADA

Sales Info: North American 1-800-267-1578, International 1-905-669-9876

Emergencies: See CHEM-TEL EMERGENCY # in Section 01

PRODUCT: B59601 340434CN BVT KONK 409D (100% VOC) 212G

MANUFACTURED FOR: MANUFACTURER

ACUITY HOLDINGS INC. dba AMREP

1000 de la Gauchetiere St. West, Suite 2500

Section 01: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Montreal,

Quebec H3B 0A2

CANADA

CHEM-TEL EMERGENCY # ..ACCT#MIS0000403 NORTH AMERICA 1-800-255-3924 (24 HR). INTERNATIONAL 1-813-248-0585 (24 HR).

01351-340409DC BVT KONK 409D (100% VOC) 212G

PRODUCT NAME..... PCP # (MASTER)..... 29472

PYRETHRINS/PIPERONYL BUTOXIDE/MGK 264.

CHEMICAL FAMILY. MOLECULAR WEIGHT..... NOT APPLICABLE.

MIXTURE

CHEMICAL FORMULA..... TRADE NAMES & SYNONYMS..... 01351-340409DC BVT KONK 409D (100% VOC) 212G

INSECTICIDE.

PRODUCT USES..... FORMULA/LAB BOOK #..... F 04-01AG.

Section 02: COMPOSITION/INFORMATION INGREDIENTS

Hazardous Ingredients	%	Exposure Limit	C.A.S.#	LD/50, Route, Species	LC/50 Route, Species
PYRETHRINS	0.975	5 mg/m3	8003-34-7	1680 mg/kg ORAL - RAT	NOT AVAILABLE
N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE	3.21	NOT AVAILABLE	113-48-4	4980 mg/kg ORAL - RAT	4080 mg/L INHAL - RAT
PIPERONYL BUTOXIDE	1.95	NOT AVAILABLE	51-03-6	4.6 g/kg ORAL-RAT	>5.9 mg/l
ODOURLESS MINERAL SPIRITS	7-13	100 ppm	64742-48-9	5000 mg/kg ORAL - RAT	5,500mg/m3(4h)
ISOBUTANE	40-70	1000 ppm	75-28-5	NOT APPLICABLE	142,500 ppm (4h) INHAL - RAT
PROPANE	7-13	1000 ppm	74-98-6	NOT APPLICABLE	NOT AVAILABLE

Section 03: HAZARDS IDENTIFICATION

ROUTE OF ENTRY:

FYF CONTACT.

MAY CAUSE HEADACHE, NAUSEA, VOMITING AND WEAKNESS INGESTION..... INHALATION.....

INHALATION OF SOLVENTS MAY CAUSE IRRITATION. PROPELLANT IS A SIMPLE

ASPHYXIANT.

MAY CAUSE IRRITATION.

SKIN ABSORPTION..... NO DATA AVAILABLE FOR THIS PRODUCT MIXTURE.

MAY CAUSE IRRITATION.

DIZZINESS, NAUSEA. IRRITATION TO SKIN & EYES.

SOLVENTS MAY CAUSE DEFATTING DERMATITIS

SKIN CONTACT....EFFECTS OF ACUTE EXPOSURE.....EFFECTS OF CHRONIC EXPOSURE..... EXPOSURE LIMIT OF MATERIAL..... SEE SECTION 2.

Section 04: FIRST AID MEASURES

EMERGENCY FIRST AID PROCEDURE

IN CASE OF EYE CONTACT, FLUSH IMMEDIATELY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND GET MEDICAL ATTENTION. FOR SKIN, WASH THOROUGHLY WITH SOAP AND WATER. IF AFFECTED BY INHALATION OF VAPOUR OR SPRAY MIST, REMOVE TO FRESH AIR. IF SWALLOWED; DO NOT INDUCE VOMITING, GET MEDICAL ATTENTION.

Section 05: FIRE FIGHTING MEASURES

ΑU	TO	IGNITION	TEMPERATURE (°C)	34

SPECIAL PROCEDURES.....

WATER FROM FOGGING NOZZLES MAY BE USED TO COOL CLOSED CONTAINERS TO PREVENT BUILD-UP IF EXPOSED TO EXTREME TEMPERATURES. FULL PROTECTIVE EQUIPMENT INCLUDING SELF CONTAINED BREATHING APPARTATUS SHOULD BE WORN IN A

FIRE INVOLVING THIS MATERIAL.

EXTREMELY FLAMMABLE.

IF YES, UNDER WHICH CONDITIONS? EXCESSIVE HEAT, SPARKS AND OPEN FLAME.
EXTINGUISHING MEDIA. WATER, CARBON DIOXIDE, DRY CHEMICAL, FOAM.
UPPER FLAMMABLE LIMIT. 9.5.

(% BY VOLUME)

LOWER FLAMMABLE LIMIT...... 1.2.

(% BY VOLUME)

FLAMMABILITY.....

PRODUCTS....... HYDROCARBON FUMES AND SMOKE. CARBON MONOXIDE WHERE COMBUSTION IS

INCOMPLETE.

AEROSOL FLAME PROJECTION

CLASSIFIED AS:......>15cm BUT <100cm. FLASHBACK..... NONE.

FLASH POINT(°C), TAG CLOSED-CUP 54.

(CONCENTRATE)

00007463	MATERIAL SAFETY DATA SHEET Page
PRODUCT: 340434CN BVT KONK 409I	•
	: ACCIDENTAL RELEASE MEASURES
LEAK/SPILL	REMOVE ALL SOURCES OF IGNITION. USE AN INERT ABSORBENT MATERIAL, AND NON-SPARKING TOOLS. VENTILATE AREA. PREVENT FROM ENTERING A WATERCOURSE.
Section	07: HANDLING AND STORAGE
ENGINEERING CONTROLS	KEEP AWAY FROM HEAT, SPARKS, AND OPEN FLAMES. VENTILATION - LOCAL (MECHANICAL IF USED INDOORS ON A CONTINUOUS BASIS). STORE IN A COOL, WELL VENTILATED AREA NOT TO EXCEED 50 DEG C. NONE KNOWN.
Section 08: EXP	OSURE CONTROLS/PERSONAL PROTECTION
GLOVES/TYPE	NOT NORMALLY REQUIRED. SAFETY GLASSES. NOT NORMALLY REQUIRED.
Section 09: F	PHYSICAL AND CHEMICAL PROPERTIES
PHYSICAL STATE	CLEAR AMBER LIQUID. INSECTICIDE. NOT AVAILABLE. 50 - 60.
n-BUTYL ACETATE = 1 VAPOUR DENSITY (AIR=1) SOLUBILITY IN WATER g/L (20°C) pH SPECIFIC GRAVITY (LIQUID) COEFFICIENT OF WATER\OIL DIST FREEZING POINT: (°C) AEROSOL PERCENT VOLATILE (BY WEIGHT).	GREATER THAN 1. NEGLIGIBLE. NOT APPLICABLE. 0.82-0.86. NOT AVAILABLE. NOT AVAILABLE. 92-93.
SPECIFIC GRAVITY (AEROSOL)AEROSOL PERCENT VOC (w/w)	0.56-0.60. 92-93.
Section	10: STABILITY AND REACTIVITY
HAZARDOUS PRODUCTS OF DECOMPOSITION	HYDROCARBON FUMES AND SMOKE. CARBON MONOXIDE WHERE COMBUSTION IS INCOMPLETE.
CHEMICAL STABILITY: YES	NOT APPLICABLE. STRONG OXIDIZING AGENTS. NOT APPLICABLE.
Section 1	1: TOXICOLOGICAL INFORMATION
IRRITANCY OF MATERIALSENSITIZING CAPABILITY OF MATERIAL	UNKNOWN. THE INGREDIENTS OF THIS PRODUCT ARE NOT LISTED AS CARCINOGENS BY NTP, (NATIONAL TOXICOLOGY PROGRAM), NOT REGULATED AS CARCINOGENS BY OSHA, (OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION), AND HAVE NOT BEEN EVALUATED BY IARC,(INTERNATIONAL AGENCY FOR RESEARCH ON CANCER), NOR BY ACGIH
TERATOGENICITY	(AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYĞIENISTS). NO INFORMATION IS AVAILABLE AND NO ADVERSE TERATOGENIC EFFECTS ARE
MUTAGENICITY	ANTICIPATED. NO INFORMATION IS AVAILABLE AND NO ADVERSE MUTAGENIC EFFECTS ARE ANTICIPATED.
Section 12	2: ECOLOGICAL CONSIDERATIONS
ENVIRONMENTAL	THIS PRODUCT IS POTENTIALLY TOXIC TO FISH, BIRDS AND OTHER WILDLIFE.
	13: DISPOSAL CONSIDERATIONS
WASTE DISPOSAL	DO NOT PUNCTURE OR INCINERATE CONTAINERS, EVEN WHEN EMPTY. DISPOSE OF IN ACCORDANCE WITH LOCAL, PROVINCIAL AND FEDERAL REGULATIONS.

00007463	MATERIAL SAFETY DATA SHEET Page
PRODUCT: 340434CN BVT KONK 409I	D (100% VOC) 212G
Section 1	4: TRANSPORTATION INFORMATION
T.D.G. CLASSIFICATIOND.O.T. CLASSIFICATION	
Section	15: REGULATORY INFORMATION
CANADIAN REGULATIONS:	
WHMIS CLASSIFICATIONCNFC SECTION 3.3.5CEPA (Canadian Enviromental Protection Act) U.S. REGULATIONS:	
HMIS RATING HEALTH	4 SEVERE HAZARD. 1 SLIGHT HAZARD. B. LEVEL 3. THIS PRODUCT CONTAINS THE FOLLOWING SUBSTANCES SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF TITLE III OF THE SUPERFUND AMENDMENTS AND
CALIFORNIA PROPOSITION 65:	REAUTHORIZATION ACT OF 1986 AND 40 CFR PART 372: CAS #: CHEMICAL NAME: *51-03-6 PIPERONYL BUTOXIDE. THE FOLLOWING STATEMENT IS MADE IN ORDER TO COMPLY WITH THE CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT OF 1986: WARNING: THIS PRODUCT DOES NOT INTENTIONALLY CONTAIN ANY CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM. CAS #: CHEMICAL NAME:
TSCA (Toxic Substances Control Act)	. N/A. ALL COMPONENT OF THIS PRODUCT ARE LISTED ON THE TSCA INVENTORY. ANY
	on 16: OTHER INFORMATION
	THE INFORMATION ON THIS MATERIAL SAFETY DATA SHEET IS PROVIDED BY AMREP FREE OF CHARGE. WHILE BELIEVED TO BE RELIABLE, IT IS INTENDED FOR USE BY SKILLED PERSONS AT THEIR OWN RISK. AMREP ASSUMES NO RESPONSIBILITY FOR EVENTS RESULTING OR DAMAGES INCURRED FROM ITS USE. THE INFORMATION ON THIS MATERIAL SAFETY DATA SHEET RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED HEREIN AND DOES NOT RELATE TO USE IN COMBINATION WITH ANY OTHER MATERIAL OR IN ANY PROCESS. TECHNICAL SERVICES